



Certificate number: 2310721 (2)

Issued 21/12/2023 Expires 10/10/2028

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a) Model number(s) – see Appendix

ZHEJIANG QILU TECHNOLOGY CO., LTD.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

DATE

David Jay, Business Unit Manager – Authorised Signatory Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply. See https://www.kiwa.com/gb/en/about-kiwa/water-products/ or the QR code below to ensure that the certificate is still valid.

Kiwa Watertec

(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale

NP23 5SD United Kingdom

T +44 (0)1495 308185

uk.water@kiwa.com

www.kiwa.co.uk

Certificate Issued to:

ZHEJIANG QILU TECHNOLOGY CO LTD BUILDING24 No.1399 LIANGMU ROAD HANGZHOU ZHEJIANG China





Product Certificate



Appendix to Certificate number: 2310721

The following products belong to this certificate

PRODUCT DESCRIPTION Range of fittings with stainless steel bodies and EPDM 'o' rings and stainless-steel pipe. ATS3 - Without Production Surveillance. MODEL(S) PIPRESS-01 Stainless Steel Press Connector 15-108mm PIPRESS-02 Stainless Steel Press Adjustable Connector 15-108mm "PIPRESS-03 Stainless Steel Press Reducing Connector 18mm x 15mm-108mm x 88.9mm" PIPRESS-04 Stainless Steel Press B-type Reducing Connector 18mm x 15mm-108mm x 88.9mm PIPRESS-05 Stainless Steel Press A-type 90°elbow 15-108mm PIPRESS-06 Stainless Steel Press B-type 90°elbow 15-108mm PIPRESS-07 Stainless Steel Press A-type 45°elbow 15-108mm PIPRESS-08 Stainless Steel Press B-type 45°elbow 15-108mm PIPRESS-09 Stainless Steel Press End cap 15-108mm PIPRESS-10 Stainless Steel Press Equal tee 15-108mm PIPRESS-11 Stainless Steel Press Reducing Tee 18mm x 15mm-108mm x 88.9mm PIPRESS-12 Stainless Steel Press Pipe Bridge 15-28mm PIPRESS-13 Stainless Steel Press Female adapter 15x1/2"- 108x4" PIPRESS-14 Stainless Steel Press Female Swivel adapter 15×1/2"- 108×4" PIPRESS-15 Stainless Steel Press Male threaded adapter 15×1/2"- 108×4" PIPRESS-16 Stainless Steel Press Female threaded 90°elbow 15×1/2"- 54×2" PIPRESS-17 Stainless Steel Press Female threaded 90°elbow with bracket 15×1/2"- 35x1-1/4" PIPRESS-18 Stainless Steel Press Female Short 90°elbow 15×1/2"- 35x1-1/4" PIPRESS-19 Stainless Steel Press Male threaded 90°elbow 15×1/2"- 54x2" PIPRESS-20 Stainless Steel Press Female Threaded Tee 15x1/2"- 108x2" PIPRESS-21 Stainless Steel Press Male Threaded Tee 15x1/2"- 108x2" PIPRESS-22 Stainless Steel Press Flange 15-108mm PIPRESS-23 Stainless Steel Press 3Pcs Union Male swivel adapter 15x 1/2"-108x 2" PIPRESS-Stainless steel Pipe 15mm, 18mm, 22mm, 28mm, 35mm, 42mm, 54mm, 76.1mm, 88.9mm, 108mm SIZE: 15mm 18mm 22mm 28mm 35mm 42mm 54mm 76.1mm 88.9mm 108mm SCOPE:

Manufacturer recommended maximum working pressure 16 Bar & maximum operating temperature 85°C.

Hygienic Purposes: Non-metallic materials suitable for continuous use up to 85°C.

MARKING

Pipress, size and stainless grade on body.

MATERIALS

Non-metallic materials assessed (BS6920) to backflow prevention device.

BACKFLOW PROTECTION NOTES

N/A

ADDITIONAL NOTES

All water contact & exposed components satisfy opacity requirements.

Product Certificate



Appendix to Certificate number: 2310721

Extra Notes